Tree Removal/Pruning Request

ECEIV

PLANNING DEPARTMENT

Please allow a minimum of 10 working days for City response to this request. If you illegally remby 10 ees, the City may pursue monetary penalties and/or restoration under KMC 19.36 or KZC 25.55.




Property Address

Permit#TRE**08 -0000**1


For City Use

#1: Draw Site Plan Here



- Please show all trees
- Number each tree to be removed/pruned
- Show buildings and roads

Example site plan



#2: List the trees (private and/or public) proposed to be removed and/or pruned:

Use additional forms if requesting to remove more trees than space provides.

Tree # Size Reason for Public Public Type/Species Location from site plan removal/pruning tree? Inv# (dia)* 18" Remove - rotten in the (example) Big-leaf maple East of garage behind house no middle 36" No CRACKS IN LIMBS

Measure or estimate the diameter of the tree trunk at 4½ feet above the ground. Note if there is more than one trunk per tree

#3: A report from a certified arborist*** is required with this application if:

- More than 2 trees per year are being removed from private property
- The tree is located in a Sensitive or Critical Area
- The tree to be removed is on the public right-of-way



#4: For public tree pruning:

The City, upon reviewing the request, may elect to perform the pruning. If not, a certified arborist*** is required to perform the pruning of public trees. The arborist will need to meet with City staff prior to pruning. The arborist is to complete the section below.

Print name and o	company
Arborist certification ID and exp date	Phone #
ion:	
henson Phone:	425 083 1900 X Z
al Way SV/the 210 Fax:	425 497 1921
Email:	tstephenson@dibb
d supporting request) HOOX 222	
Staff Review Section Below	
Not Approved	
Sayler @ ci. kirkland. wa. os Email	425-587-3247 Phone
Not Approved	
	Arborist certification ID and exp date ion: Musson Phone: Way Suffe 200 Fax: 1333 Email: d supporting request) Not Approved Safer & Ci. kirkbard. wa. x Email at of one free